Index of authors and papers

Abd El-Moiz, A.B., Optical investigations on In_xSe_{1-x} thin films (I) 191 (1993) 293
Abd El-Moiz, A.B., Hefni, M.A., Reicha, F.M. and Hafiz, M.M., Optical investigations on In_xSe_{1-x} thin films (II) 191 (1993) 303
Agafonov, A.I., Photon-induced transport of impurities in semiconductors 191 (1993) 355
Agrahari, S.K., Arora, R. and Kumar, A., Crystallization kinetics in glassy $Se_{80-x}Te_{20}In_x$ alloys 191 (1993) 203
Ahn, D., Theoretical aspects of blue–green II–VI strained quantum well lasers 191 (1993) 140
Akimoto, K., Okuyama, H., Miyajima, T., Morinaga, Y., Hiei, F. and Ozawa, M., Growth of ZnMgSSe and fabrication of blue laser diodes 191 (1993) 133
Andres, K., see Kund, M. 191 (1993) 274
Arora, R., see Agrahari, S.K. 191 (1993) 203

Baranov, M.A. and Kagan, M.Yu., On the stability of the superconductive state in the Fermi-gas with repulsive interaction 191 (1993) 341
Baranovskii, S.D., see Kalt, H. 191 (1993) 90
Bartoli, F.J., see Meyer, J.R. 191 (1993) 171
Bertho, D., see Priester, C. 191 (1993) 1
Biberacher, W., see Kund, M. 191 (1993) 274
Bleuse, J., see Mariette, H. 191 (1993) 190
Brommer, P.E., see Duc, N.H. 191 (1993) 239

Cao, N., Garrett, J.D. and Timusk, T., Optical anisotropy of UNi_2Si_2 191 (1993) 263
Cavenett, B.C., see Hauksson, I.S. 191 (1993) 124
Chen, X., see O'Donnell, K.P. 191 (1993) 45
Chuu, D.-S., see Wang, C.-S. 191 (1993) 227
Cibert, J., see Kalt, H. 191 (1993) 90
Collet, J.H., see Kalt, H. 191 (1993) 90
Cook Jr., J.W., see Yu, Z. 191 (1993) 119

Dang, L.S., see Kalt, H. 191 (1993) 90
Doran, J.P., see Stanley, R.P. 191 (1993) 71
Du, M., see Rudowicz, C. 191 (1993) 323
Duc, N.H., Brommer, P.E. and Franse, J.J.M., Magnetic phase transitions in (Nd, Dy)Co_2 and (Pr, Dy)Co_2 compounds 191 (1993) 239

Feldman, R.D., see Stanley, R.P. 191 (1993) 71
Franse, J.J.M., see Duc, N.H. 191 (1993) 239
Fujita, S., Kawakami, Y. and Fujita, S., Fabrication of II–VI semiconductor quantum well structures in ZnCdSSe alloy systems 191 (1993) 57
Fujita, S., see Fujita, S. 191 (1993) 57

Garrett, J.D., see Cao, N. 191 (1993) 263
Geyzers, K.P., see Kalt, H. 191 (1993) 90

Gordon, A., Vagner, I.D. and Wyder, P., Thermo- and magnetic-field-induced dynamics of ferroelectric interphase boundaries 191 (1993) 210
Grimes, D.M., Does the photon have an elementary magnetostatic flux density? (II) 191 (1993) 367
Grinyaev, S.N. and Kataev, S.G., Electronic structure of $Zn_xCd_yHg_{1-x-y}Te$ alloys and related heterojunctions 191 (1993) 317

Hafiz, M.M., see Abd El-Moiz, A.B. 191 (1993) 303
Hauksson, I.S., Wang, S.Y., Simpson, J., Taghizadeh, M.R., Prior, K.A. and Cavenett, B.C., Development and characterization of II–VI blue–green diode lasers 191 (1993) 124
Hayashi, S., see Tsujimura, A. 191 (1993) 130
Hefni, M.A., see Abd El-Moiz, A.B. 191 (1993) 303
Hegarty, J., see Stanley, R.P. 191 (1993) 71
Heuken, M., see Kalt, H. 191 (1993) 90
Hiei, F., see Akimoto, K. 191 (1993) 133
Hoffman, C.A., see Meyer, J.R. 191 (1993) 171
Hooge, F.N. and Ren, L., On generation–recombination noise 191 (1993) 220

Jouanin, C., see Priester, C. 191 (1993) 1
Jouneau, P.H., see Mariette, H. 191 (1993) 190

Kagan, M.Yu., see Baranov, M.A. 191 (1993) 341
Kalpana, G., Palanivel, B., Kousalya, B. and Rajagopalan, M., Band structure and superconductivity of BCC tellurium under pressure 191 (1993) 287
Kalt, H., Collet, J.H., Dang, L.S., Cibert, J., Baranovskii, S.D., Saleh, R., Umlauff, M., Geyzers, K.P., Heuken, M. and Klingshirn, C., Dynamics of localized excitons and high-excitation effects in II–VI quantum wells and heterostructures 191 (1993) 90
Kataev, S.G., see Grinyaev, S.N. 191 (1993) 317
Kawakami, Y., see Taguchi, T. 191 (1993) 23
Kawakami, Y., see Fujita, S. 191 (1993) 57
Klama, S., Electron dynamics in quantum dots and rings 191 (1993) 281
Klingshirn, C., see Kalt, H. 191 (1993) 90
Kousalya, B., see Kalpana, G. 191 (1993) 287
Kumar, A., see Agrahari, S.K. 191 (1993) 203
Kund, M., Müller, H., Biberacher, W., Andres, K. and Saito, G., Anomalous thermal expansion of the organic superconductor κ-(BEDT–TTF)$_2$Cu[N(CN)$_2$]Br 191 (1993) 274

Lakhtakia, A., Does the phonon have an elementary magnetostatic flux density (I) 191 (1993) 362
Łoś, S., see Trybuła, Z. 191 (1993) 312

Magnea, N., see Mariette, H. 191 (1993) 190
Mariette, H., Magnea, N., Bleuse, J., Jouneau, P.H., Monterrat, E., Ulmer, L., Tardot, A. and Pautrat, J.L., Optical properties of $Cd_xHg_{1-x}Te$ ($0.3 < x < 1$) strained-layer heterostructures 191 (1993) 190
Masumoto, Y., see Taguchi, T. 191 (1993) 136
Masumoto, Y., see Yamada, Y. 191 (1993) 83

Meyer, J.R., Hoffman, C.A. and Bartoli, F.J., Narrow-gap HgTe–CdTe superlattices 191 (1993) 171
Mitsuyu, T., see Tsujimura, A. 191 (1993) 130
Miyajima, T., see Akimoto, K. 191 (1993) 133
Mohanty, S.P., see Nayak, S.K. 191 (1993) 334
Monterrat, E., see Mariette, H. 191 (1993) 190
Morinaga, Y., see Akimoto, K. 191 (1993) 133
Müller, H., see Kund, M. 191 (1993) 274
Mullins, J.T., see Taguchi, T. 191 (1993) 136

Nakayama, T., Band offsets: the charge transfer effect 191 (1993) 16
Nayak, S.K., Sahu, T. and Mohanty, S.P., Third-order nonlinear optical susceptibilities of group IV and III–V compound semiconductors 191 (1993) 334
Nicholas, R.J., Magneto-optical properties of Mn-based II–VI semimagnetic superlattices 191 (1993) 156

O'Donnell, K.P., Parbrook, P.J., Yang, F., Chen, X. and Trager-Cowan, C., Growth and optical characterisation of binary II–VI SLS 191 (1993) 45
Ohkawa, K., see Tsujimura, A. 191 (1993) 130
Ohno, T., see Taguchi, T. 191 (1993) 136
Okuyama, H., see Akimoto, K. 191 (1993) 133
Ozawa, M., see Akimoto, K. 191 (1993) 133

Palanivel, B., see Kalpana, G. 191 (1993) 287
Parbrook, P.J., see O'Donnell, K.P. 191 (1993) 45
Pautrat, J.L., see Mariette, H. 191 (1993) 190
Priester, C., Bertho, D. and Jouanin, C., Band-offset determination at strained II–VI heterojunctions within a self-consistent tight-binding model 191 (1993) 1
Prior, K.A., see Hauksson, I.S. 191 (1993) 124

Rajagopalan, M., see Kalpana, G. 191 (1993) 287
Reicha, F.M., see Abd El-Moiz, A.B. 191 (1993) 303
Ren, J., see Yu, Z. 191 (1993) 119
Ren, L., see Hooge, F.N. 191 (1993) 220
Rogozkin, D.B., Interference effects in light backscattering by a system of Brownian particles 191 (1993) 348
Rudowicz, C., Du, M., Yeung, Y.-y. and Zhou, Y.-y., Crystal field levels and zero-field splitting parameters of Cr^{2+} in the mixed system $Rb_2Mn_xCr_{1-x}Cl_4$ 191 (1993) 323

Sahu, T., see Nayak, S.K. 191 (1993) 334
Saito, G., see Kund, M. 191 (1993) 274
Saleh, R., see Kalt, H. 191 (1993) 90
Schetzina, J.F., see Yu, Z. 191 (1993) 119
Simpson, J., see Hauksson, I.S. 191 (1993) 124
Stankowski, J., see Trybuła, Z. 191 (1993) 312
Stanley, R.P., Doran, J.P., Hegarty, J. and Feldman, R.D., LO-phonons and excitons in (Cd,Zn)Te based quantum wells 191 (1993) 71

Taghizadeh, M.R., see Hauksson, I.S. 191 (1993) 124

Taguchi, T., Yamada, Y., Ohno, T., Mullins, J.T. and Masumoto, Y., Ultraviolet laser and photodetector of CdZnS/ZnS multiple quantum wells 191 (1993) 136
Taguchi, T., Kawakami, Y. and Yamada, Y., Interface properties and the effect of strain of ZnSe/ZnS strained-layer superlattices 191 (1993) 23
Taguchi, T., see Yamada, Y. 191 (1993) 83
Takeishi, H., see Tsujimura, A. 191 (1993) 130
Tardot, A., see Mariette, H. 191 (1993) 190
Timusk, T., see Cao, N. 191 (1993) 263
Trager-Cowan, C., see O'Donnell, K.P. 191 (1993) 45
Trybuła, Z., Stankowski, J. and Łoś, S., Intermediate phase between deuteron-glass and antiferroelectric order in the D-RADA system 191 (1993) 312
Tsujimura, A., Yoshii, S., Hayashi, S., Ohkawa, K., Mitsuyu, T. and Takeishi, H., Characteristics of ZnCdSe single-quantum-well laser diodes 191 (1993) 130

Ulmer, L., see Mariette, H. 191 (1993) 190
Umlauff, M., see Kalt, H. 191 (1993) 90

Vagner, I.D., see Gordon, A. 191 (1993) 210
van der Lugt, W. and Winnink, M., Some remarks on the reverse Monte Carlo method 191 (1993) 217

Wang, C.-S. and Chuu, D.-S., Electronic energy spectrum in an asymmetric quantum well with a crossed magnetic and electric field 191 (1993) 227
Wang, S.Y., see Hauksson, I.S. 191 (1993) 124
Williams, J.H., On the infrared absorption of acidified water 191 (1993) 248
Winnink, M., see van der Lugt, W. 191 (1993) 217
Wyder, P., see Gordon, A. 191 (1993) 210

Yamada, Y., see Taguchi, T. 191 (1993) 136
Yamada, Y., see Taguchi, T. 191 (1993) 23
Yamada, Y., Masumoto, Y. and Taguchi, T., Formation of optical gain due to exciton localization in $Cd_xZn_{1-x}S$–ZnS strained-layer quantum wells 191 (1993) 83
Yang, F., see O'Donnell, K.P. 191 (1993) 45
Yeung, Y.-y., see Rudowicz, C. 191 (1993) 323
Yokogawa, T., Nonlinear optical properties and blue-light-emitting diode of ZnSe/ZnS and ZnTe/ZnS strained-layer superlattices 191 (1993) 102
Yoshii, S., see Tsujimura, A. 191 (1993) 130
Yu, Z., Ren, J., Cook Jr., J.W. and Schetzina, J.F., Blue/green laser diodes and light emitting diodes 191 (1993) 119

Zhou, Y.-y., see Rudowicz, C. 191 (1993) 323

Analytic subject index

Antiferroelectric order
– Intermediate phase between deuteron-glass and — in the D-RADA system - Trybuła et al. 191 (1993) 312

Backscattering
– Interference effects in light — by a system of Brownian particles - Rogozkin 191 (1993) 348

Band offsets
– Band-offset determination at strained II–VI heterojunctions within a self-consistent tight-binding model - Priester et al. 191 (1993) 1
– —: the charge transfer effect - Nakayama 191 (1993) 16

Band structure
– — and superconductivity of BCC tellurium under pressure - Kalpana et al. 191 (1993) 287

Blue-light-emitting diodes
– Nonlinear optical properties and blue-light-emitting diode of ZnSe/ZnS and ZnTe/ZnS strained-layer superlattices - Yokogawa 191 (1993) 102

Blue–green lasers
– Theoretical aspects of blue–green II–VI strained quantum well lasers - Ahn 191 (1993) 140

Capacitance–voltage profile
– Development and characterization of II–VI blue–green diode lasers - Hauksson et al. 191 (1993) 124

Carrier leakage
– Characteristics of ZnCdSe single-quantum-well laser diodes - Tsujimura et al. 191 (1993) 130

Cathodoluminescence
– Growth and optical characterisation of binary II–VI SLS - O'Donnell et al. 191 (1993) 45

Cd composition
– Characteristics of ZnCdSe single-quantum-well laser diodes - Tsujimura et al. 191 (1993) 130

CdHgTe heterostructure
– Optical properties of $Cd_xHg_{1-x}Te$ $(0.3 < x < 1)$ strained-layer heterostructures - Mariette et al. 191 (1993) 190

CdTe–CdMnTe
– Magneto-optical properties of Mn-based II–VI semimagnetic superlattices - Nicholas 191 (1993) 156

CdTe–ZnTe
– Dynamics of localized excitons and high-excitation effects in II–VI quantum wells and heterostructures - Kalt et al. 191 (1993) 90

CdZnS–ZnS
– Formation of optical gain due to exciton localization in $Cd_xZn_{1-x}S$–ZnS strained-layer quantum wells - Yamada et al. 191 (1993) 83
– Ultraviolet laser and photodetector of CdZnS/ZnS multiple quantum wells - Taguchi et al. 191 (1993) 136

CdZnTe quantum wells
– LO-phonons and excitons in (Cd,Zn)Te based quantum wells - Stanley et al. 191 (1993) 71

Charge transfer
– Band-offset determination at strained II–VI heterojunctions within a self-consistent tight-binding model - Priester et al. 191 (1993) 1
– Band offsets: the — effect - Nakayama 191 (1993) 16
Cladding layers
– Growth of ZnMgSSe and fabrication of blue laser diodes - Akimoto et al. 191 (1993) 133
Cooperons
– Interference effects in light backscattering by a system of Brownian particles - Rogozkin 191 (1993) 348
Cr^{2+}
– Crystal field levels and zero-field splitting parameters of — in the mixed system $Rb_2Mn_xCr_{1-x}Cl_4$ - Rudowicz et al. 191 (1993) 323
Crystallization kinetics
– — in glassy $Se_{80-x}Te_{20}In_x$ alloys - Agrahari et al. 191 (1993) 203

Deep donor
– Development and characterization of II–VI blue–green diode lasers - Hauksson et al. 191 (1993) 124
Density matrix formalism
– Theoretical aspects of blue–green II–VI strained quantum well lasers - Ahn 191 (1993) 140
Deuterated glass
– Intermediate phase between deuteron-glass and antiferroelectric order in the D-RADA system - Trybuła et al. 191 (1993) 312
Dynamics
– Thermo- and magnetic-field-induced — of ferroelectric interphase boundaries - Gordon et al. 191 (1993) 210

Electrons, confined
– Electron dynamics in quantum dots and rings - Klama 191 (1993) 281
Energy levels, crystal field
– Crystal field levels and zero-field splitting parameters of Cr^{2+} in the mixed system $Rb_2Mn_xCr_{1-x}Cl_4$ - Rudowicz et al. 191 (1993) 323
Energy spectrum, electronic
– Electronic energy spectrum in an asymmetric quantum well with a crossed magnetic and electric field - Wang and Chuu 191 (1993) 227
Exchange interaction
– Magneto-optical properties of Mn-based II–VI semimagnetic superlattices - Nicholas 191 (1993) 156
Exciton localization
– Formation of optical gain due to — in $Cd_xZn_{1-x}S$–ZnS strained-layer quantum wells - Yamada et al. 191 (1993) 83
Excitons
– LO-phonons and — in (Cd,Zn)Te based quantum wells - Stanley et al. 191 (1993) 71
– Dynamics of localized — and high-excitation effects in II–VI quantum wells and heterostructures - Kalt et al. 191 (1993) 90

Fermi gas
– On the stability of the superconductive state in the Fermi-gas with repulsive interaction - Baranov and Kagan 191 (1993) 341

Ferroelectricity
– Thermo- and magnetic-field-induced dynamics of ferroelectric interphase boundaries - Gordon et al. 191 (1993) 210
Free energy
– On the stability of the superconductive state in the Fermi-gas with repulsive interaction - Baranov and Kagan 191 (1993) 341

Heterojunctions
– Electronic structure of $Zn_xCd_yHg_{1-x-y}Te$ alloys and related — - Grinyaev and Kataev 191 (1993) 317
HgTe–CdTe systems
– Narrow-gap HgTe–CdTe superlattices - Meyer et al. 191 (1993) 171
High-excitation effects
– Dynamics of localized excitons and — in II–VI quantum wells and heterostructures - Kalt et al. 191 (1993) 90
High-frequency ε
– Optical investigations on In_xSe_{1-x} thin films (I) - Abd El-Moiz 191 (1993) 293
– Optical investigations on In_xSe_{1-x} thin films (II) - Abd El-Moiz et al. 191 (1993) 303
High pressure
– Band structure and superconductivity of BCC tellurium under pressure - Kalpana et al. 191 (1993) 287

Impurities
– Photon-induced transport of — in semiconductors - Agafonov 191 (1993) 355
Inelastic scattering
– Interference effects in light backscattering by a system of Brownian particles - Rogozkin 191 (1993) 348
Infrared absorption
– On the — of acidified water - Williams 191 (1993) 248
In_xSe_{1-x}
– Optical investigations on — thin films (I) - Abd El-Moiz 191 (1993) 293
– Optical investigations on — thin films (II) - Abd El-Moiz et al. 191 (1993) 303
Interface
– — properties and the effect of strain of ZnSe/ZnS strained-layer superlattices - Taguchi et al. 191 (1993) 23
Interphase boundaries
– Thermo- and magnetic-field-induced dynamics of ferroelectric — - Gordon et al. 191 (1993) 210

Kondo effect
– Optical anisotropy of UNi_2Si_2 - Cao et al. 191 (1993) 263

Laser, optically pumped
– Fabrication of II–VI semiconductor quantum well structures in ZnCdSSe alloy systems - Fujita et al. 191 (1993) 57
Laser diode, blue–green
– Blue/green laser diodes and light emitting diodes - Yu et al. 191 (1993) 119
– Development and characterization of II–VI blue–green diode lasers - Hauksson et al. 191 (1993) 124

Laser emission
– Optical properties of $Cd_xHg_{1-x}Te$ $(0.3 < x < 1)$ strained-layer heterostructures - Mariette et al. 191 (1993) 190
Lattice matching
– Growth of ZnMgSSe and fabrication of blue laser diodes - Akimoto et al. 191 (1993) 133
Layer-by-layer growth
– Fabrication of II–VI semiconductor quantum well structures in ZnCdSSe alloy systems - Fujita et al. 191 (1993) 57
Light-emitting diodes
– Blue/green laser diodes and light emitting diodes - Yu et al. 191 (1993) 119
Liquid, structured
– Some remarks on the reverse Monte Carlo method - van der Lugt and Winnink 191 (1993) 217
Liquids, structured
– On the infrared absorption of acidified water - Williams 191 (1993) 248
LO phonons
– LO-phonons and excitons in (Cd,Zn)Te based quantum wells - Stanley et al. 191 (1993) 71

Magneto-optical properties
– Narrow-gap HgTe–CdTe superlattices - Meyer et al. 191 (1993) 171
Magnetostatic flux density, photon
– Does the photon have an elementary magnetostatic flux density? (I) - Lakhtakia 191 (1993) 362
– Does the photon have an elementary magnetostatic flux density? (II) - Grimes 191 (1993) 367
MBE growth
– Optical properties of $Cd_xHg_{1-x}Te$ $(0.3 < x < 1)$ strained-layer heterostructures - Mariette et al. 191 (1993) 190
MOCVD growth
– Ultraviolet laser and photodetector of CdZnS/ZnS multiple quantum wells - Taguchi et al. 191 (1993) 136
Monte Carlo method, reverse
– Some remarks on the reverse Monte Carlo method - van der Lugt and Winnink 191 (1993) 217
MOVPE growth
– Growth and optical characterisation of binary II–VI SLS - O'Donnell et al. 191 (1993) 45
Multi-quantum-wells
– Growth of ZnMgSSe and fabrication of blue laser diodes - Akimoto et al. 191 (1993) 133

(Nd, Dy)Co_2
– Magnetic phase transitions in — and (Pr, Dy)Co_2 compounds - Duc et al. 191 (1993) 239
Noise, generation–recombination
– On generation–recombination noise - Hooge and Ren 191 (1993) 220
Nonlinear optics
– Nonlinear optical properties and blue-light-emitting diode of ZnSe/ZnS and ZnTe/ZnS strained-layer superlattices - Yokogawa 191 (1993) 102

Optical gain
– Formation of — due to exciton localization in $Cd_xZn_{1-x}S$–ZnS strained-layer quantum wells - Yamada et al. 191 (1993) 83
– Theoretical aspects of blue–green II–VI strained quantum well lasers - Ahn 191 (1993) 140
Optical gaps
– Optical investigations on In_xSe_{1-x} thin films (I) - Abd El-Moiz 191 (1993) 293

– Optical investigations on In_xSe_{1-x} thin films (II) - Abd El-Moiz et al. 191 (1993) 303
Optical properties
– — of $Cd_xHg_{1-x}Te$ ($0.3 < x < 1$) strained-layer heterostructures - Mariette et al. 191 (1993) 190
Optical susceptibility, nonlinear, third-order
– Third-order nonlinear optical susceptibilities of group IV and III–V compound semiconductors - Nayak et al. 191 (1993) 334

Phase coexistence
– Intermediate phase between deuteron-glass and antiferroelectric order in the DRADA system - Trybuła et al. 191 (1993) 312
Phase transitions, magnetic
– Magnetic phase transitions in (Nd, Dy)Co_2 and (Pr, Dy)Co_2 compounds - Duc et al. 191 (1993) 239
Phasors
– Does the photon have an elementary magnetostatic flux density? (II) - Grimes 191 (1993) 367
Photodetectors
– Ultraviolet laser and photodetector of CdZnS/ZnS multiple quantum wells - Taguchi et al. 191 (1993) 136
Photoluminescence
– Growth and optical characterisation of binary II–VI SLS - O'Donnell et al. 191 (1993) 45
Photon fields
– Does the photon have an elementary magnetostatic flux density? (II) - Grimes 191 (1993) 367
Photon-induced transport
– — of impurities in semiconductors - Agafonov 191 (1993) 355
Plane waves
– Does the photon have an elementary magnetostatic flux density? (I) - Lakhtakia 191 (1993) 362
(Pr, Dy)Co_2
– Magnetic phase transitions in (Nd, Dy)Co_2 and — compounds - Duc et al. 191 (1993) 239
Pseudopotential method
– Band offsets: the charge transfer effect - Nakayama 191 (1993) 16
– Electronic structure of $Zn_xCd_yHg_{1-x-y}Te$ alloys and related heterojunctions - Grinyaev and Kataev 191 (1993) 317

Quantum dots
– Electron dynamics in — and rings - Klama 191 (1993) 281
Quantum Hall effect
– Narrow-gap HgTe–CdTe superlattices - Meyer et al. 191 (1993) 171
Quantum rings
– Electron dynamics in quantum dots and rings - Klama 191 (1993) 281
Quantum well, asymmetric
– Electronic energy spectrum in an asymmetric quantum well with a crossed magnetic and electric field - Wang and Chuu 191 (1993) 227
Quantum wells
– Fabrication of II–VI semiconductor quantum well structures in ZnCdSSe alloy systems - Fujita et al. 191 (1993) 57
– Dynamics of localized excitons and high-excitation effects in II–VI — and heterostructures - Kalt et al. 191 (1993) 90
– Theoretical aspects of blue–green II–VI strained quantum well lasers - Ahn 191 (1993) 140
Quantum wires
– Narrow-gap HgTe–CdTe superlattices - Meyer et al. 191 (1993) 171

Rare earth–transition metal compounds
– Magnetic phase transitions in (Nd, Dy)Co_2 and (Pr, Dy)Co_2 compounds - Duc et al. 191 (1993) 239
$Rb_2Mn_xCr_{1-x}Cl_4$
– Crystal field levels and zero-field splitting parameters of Cr^{2+} in the mixed system — - Rudowicz et al. 191 (1993) 323
Reflectivity
– Optical anisotropy of UNi_2Si_2 - Cao et al. 191 (1993) 263
Repulsive interaction
– On the stability of the superconductive state in the Fermi-gas with — - Baranov and Kagan 191 (1993) 341
Resistivity
– Band structure and superconductivity of BCC tellurium under pressure - Kalpana et al. 191 (1993) 287
Resonant Raman scattering
– LO-phonons and excitons in (Cd,Zn)Te based quantum wells - Stanley et al. 191 (1993) 71

Semiconductors
– On generation–recombination noise - Hooge and Ren 191 (1993) 220
– Photon-induced transport of impurities in — - Agafonov 191 (1993) 355
Semiconductors, compound
– Third-order nonlinear optical susceptibilities of group IV and III–V compound semiconductors - Nayak et al. 191 (1993) 334
Semiconductors, tetrahedral
– Third-order nonlinear optical susceptibilities of group IV and III–V compound semiconductors - Nayak et al. 191 (1993) 334
Semimagnetic superlattices
– Magneto-optical properties of Mn-based II–VI — - Nicholas 191 (1993) 156
$Se_{80-x}Te_{20}In_x$, glassy
– Crystallization kinetics in glassy $Se_{80-x}Te_{20}In_x$ alloys - Agrahari et al. 191 (1993) 203
Si
– Photon-induced transport of impurities in semiconductors - Agafonov 191 (1993) 355
Spin density wave
– Optical anisotropy of UNi_2Si_2 - Cao et al. 191 (1993) 263
Splitting parameters, zero field
– Crystal field levels and zero-field splitting parameters of Cr^{2+} in the mixed system $Rb_2Mn_xCr_{1-x}Cl_4$ - Rudowicz et al. 191 (1993) 323
Stimulated emission
– Formation of optical gain due to exciton localization in $Cd_xZn_{1-x}S$–ZnS strained-layer quantum wells - Yamada et al. 191 (1993) 83
Strain
– Band-offset determination at strained II–VI heterojunctions within a self-consistent tight-binding model - Priester et al. 191 (1993) 1
– Interface properties and the effect of — of ZnSe/ZnS strained-layer superlattices - Taguchi et al. 191 (1993) 23
– Theoretical aspects of blue–green II–VI strained quantum well lasers - Ahn 191 (1993) 140
Strained-layer superlattices
– Interface properties and the effect of strain of ZnSe/ZnS — - Taguchi et al. 191 (1993) 23
– Growth and optical characterisation of binary II–VI SLS - O'Donnell et al. 191 (1993) 45

Superconductivity
– Band structure and — of BCC tellurium under pressure - Kalpana et al. 191 (1993) 287
– On the stability of the superconductive state in the Fermi-gas with repulsive interaction - Baranov and Kagan 191 (1993) 341
Superconductors, organic
– Anomalous thermal expansion of the organic superconductor κ-(BEDT–TTF)$_2$Cu[N(CN)$_2$]Br - Kund et al. 191 (1993) 274

Temperature dependence
– Characteristics of ZnCdSe single-quantum-well laser diodes - Tsujimura et al. 191 (1993) 130
Thermal expansion
– Anomalous — of the organic superconductor κ-(BEDT–TTF)$_2$Cu[N(CN)$_2$]Br - Kund et al. 191 (1993) 274
Tight-binding model
– Band-offset determination at strained II–VI heterojunctions within a self-consistent — - Priester et al. 191 (1993) 1

Ultraviolet lasers
– Ultraviolet laser and photodetector of CdZnS/ZnS multiple quantum wells - Taguchi et al. 191 (1993) 136
UNi_2Si_2
– Optical anisotropy of — - Cao et al. 191 (1993) 263

Weak localization
– Interference effects in light backscattering by a system of Brownian particles - Rogozkin 191 (1993) 348

Zn-compounds
– Band offsets: the charge transfer effect - Nakayama 191 (1993) 16
$Zn_xCd_yHg_{1-x-y}Te$
– Electronic structure of — alloys and related heterojunctions - Grinyaev and Kataev 191 (1993) 317
ZnCdSe laser
– Characteristics of ZnCdSe single-quantum-well laser diodes - Tsujimura et al. 191 (1993) 130
ZnCdSe–ZnSe
– Blue/green laser diodes and light emitting diodes - Yu et al. 191 (1993) 119
– Development and characterization of II–VI blue–green diode lasers - Hauksson et al. 191 (1993) 124
ZnCdSSe alloys
– Fabrication of II–VI semiconductor quantum well structures in ZnCdSSe alloy systems - Fujita et al. 191 (1993) 57
ZnMgSSe blue laser diode
– Growth of ZnMgSSe and fabrication of blue laser diodes - Akimoto et al. 191 (1993) 133
ZnSe–ZnMnSe
– Magneto-optical properties of Mn-based II–VI semimagnetic superlattices - Nicholas 191 (1993) 156
ZnSe–ZnS
– Interface properties and the effect of strain of — strained-layer superlattices - Taguchi et al. 191 (1993) 23

ZnSe–ZnTe
– Nonlinear optical properties and blue-light-emitting diode of ZnSe/ZnS and ZnTe/ZnS strained-layer superlattices - Yokogawa 191 (1993) 102
ZnSTeSe quantum wells
– Blue/green laser diodes and light emitting diodes - Yu et al. 191 (1993) 119
ZnTe–ZnS
– Nonlinear optical properties and blue-light-emitting diode of ZnSe/ZnS and ZnTe/ZnS strained-layer superlattices - Yokogawa 191 (1993) 102